



GILBARCO
VEEDER-ROOT



SPECIAL INFORMATION & DISPENSER ORDER FORM

Graphic Design

- Involves communicating specific ideas and experiences through creative visual and textual content.
- Uses a variety of specialized graphic programs and sometimes alternative mediums to achieve the desired visual effect.
- As a team, we create logos, brochures, pamphlets, vector-based illustrations, banners and more.

Frequently Asked Questions

Can you use a picture of a logo for production?

Unfortunately, due to the nature of our design and production process, we cannot. All custom logo or pump artwork should be provided as an Adobe Illustrator (.ai), Adobe Photoshop (.psd), Encapsulated PostScript (.eps), or a (.pdf) format file. Vector based images are preferred.

How long will it take my order to be processed?

The turnaround for orders is heavily dependent on the nature of what is involved in the design process (number of mocks needed, new logo creation, new color creation, etc.)

Do graphic designers provide price quotes?

No, graphic designers do not provide price quotes. However, your Customer Service Representative can provide you with a price quote as it pertains to your order.

Can I have my company graphic designer email the required files directly to a designer?

Yes, your designer can email the required image files to the applicable designer assigned to your order. This may be beneficial when complex artwork/logos are being reproduced and specific questions will need to be addressed.

Instructions

Fill out basic information

- Enter the name of the customer (i.e. Shell, Exxon, BP, etc). This is the name that will be used for the dispenser image.
- Select model number and whether this form is for a Full Mock (for full dispenser) or Part Mock (for certain parts).

Specify important details

- Using the graphic image on the left side of the request form, find what parts you need and enter them in the table on the right. Please include the base number, quantity, and any specific image regarding EACH part, (such as color, text, etc).
- When filling out the information pertaining to brand panels, please list the brands EXACTLY how they should appear.
Correct: Diesel / Regular / Plus / Premium Incorrect: Diesel / Default / Default / Default
- Specify bezel door color(s), side sheathing type(s), canopy style and important color information (3M, Gilbarco END, RAL or Pantone/PMS color numbers)
- Also list any additional information in the "comments/instructions" section at the bottom.


Review your form for accuracy.

- Make sure all information is legible and accurate.
- All pages following the request form are reference files placed for your convenience. Use them!
- Lastly, please sign and date the form and submit it to begin the design process. Request form will be returned if not signed and dated.

Advantage

Wide Frame Request Form

The ensuing pages are references for your convenience.



Dispenser color likeness is only for visual assistance

Image Name

Model #

Full Mock

Part Mock

Standard options listed below. Premium options are available but come with additional charges. Please contact your CSR for more information regarding our premium options. See page 4.

All custom logo or pump artwork should be provided as an Adobe Illustrator (.ai), Adobe Photoshop (.psd), Encapsulated PostScript (.eps), or a (.pdf) format file. Vector based images are preferred.

1. Rectangular Canopy

Assembly

K35496 xxx

2. Left Option Door

A) Door Overlay

T50201 Gxxx

B) Soft Key Overlay

T50180 Gxxx

3. Main Display

T50115 Gxxx

4. Right Option Door

T18784 Gxxx

5. Blender Panel

W02872 xxx

6. Blanking Panel

W02950 xxx

7. Nozzle Putdown

R19429 Gxxx

8. Lower Door

W02755 Gxxx

9. Side Sheathing

Not Shown:

Canopy Options

See page 5

Left Door Options

See page 6

Main Displays

See page 7

Right Door Options

See page 7

Brand Panels

See page 8

PPU Options

See page 8

Blanking Panel Options

See page 9

Nozzle Boot Options

See page 9

Side Sheathing Options

See page 4

Part Number	Qty.	Comments/Instructions
i.e. W02950 xxx	2	Two tone. END 7000/END 7001

Please specifically list part options: (i.e. call button, single vs dual ppu, full vs partial side sheathing decal, or if you would like TRIND/CSC)

Brand Panels (i.e. Regular, Unleaded, Supreme)

Unit 1

Unit 2

Unit 3

Unit 4

Please note any additional comments, instructions, or PO numbers here:

i.e. Attached is the reference file for the image graphics. *brandimg_graphics.pdf*

Name: _____ Date: _____

Phone: _____ Email: _____

Advantage

Painted Part Standards

Page 4 of 9



Inner & Outer Side Sheathing

Painted	Additional Charges Apply
Stainless Steel	Additional Charges Apply

Canopy (see page 5)


Brandview	Standard No Charge Option
Rectangular	Standard No Charge Option
Full Wrap Brandview	Additional Charges Apply

Upper Housing vs Canopy

The upper housing is the metal sheathing that covers the upper hydraulic area at the top of the dispenser. The canopy, which can be Brandview, Oval, Rounded Corner, or Rectangular, fits around the upper housing.

Upper Housing Top & Bottom Covers

Painted Black	No Charge Option
Painted any other color	Additional Charges Apply
Stainless Steel	Not Available



Advantage

Canopy & Upper Housing

Page 5 of 9

K35496 Gxxx Rectangular Canopy Assembly

Front/Rear Panel



Side Panel



EN55030GA Brandview Assembly (For either decal kit/partial decal)

Front/Rear Panel



Side Panels



Advantage

Left Door Options

Page 6 of 9

Left Option Doors with CRIND

Domestic

Monochrome/Infoscreen
CRIND Card Reader



Door Overlay
(T50044 xxx)
Keypad Overlay Series
(T50038)

Single Line CRIND ADA




Door Overlay
(T50063 Gxxx)
Keypad Overlay Series
(T50064)

Single Line CRIND Non-ADA



Door Overlay
(T18781 Gxxx)
Keypad Overlay Series
(T18724)

EPP
w/ Monochrome Soft Key Overlay



Door Overlay
(T50201Gxxx)
Door Overlay w/ Speaker
(T50202Gxxx)
Soft Key Overlay w/Buttons
(T50180Gxxx)

Export Only

Programmable Pump Preset
(PPP)



Door Overlay
(T17886 Gxxx)
Keypad Overlay Series
(T50134)

EMV Retrofit Kit
(Pre 2011-2012)



Door Overlay
(T50188Gxxx)
Keypad Series
(Not altered)

Full Plastic EMV Door



Door Overlay
(T50192Gxxx)
Option Keypad
(T50193Gxxx)


Advantage

Main Displays & Right Door Options

Page 7 of 9

Right Door Options will be used as applicable to brand names.

Main Displays



Optimized 2 Windows
(T50115 Gxxx)



Non-Optimized 3 Windows
(T18783 Gxxx)

Right Door Options



blank
(T18784 Gxxx)



with call button
(T50077 Gxxx)

Advantage

Brand Panels/PPU & Blender Panels

Page 8 of 9

On dual-sided units, blender panels may be mirrored. Please specify your blender panel grades and orientation when ordering blender panels.

If using 8 hose brand panels on the B79/B85 models, then an 8 hose blanking panel (T18035 Gxxx) is necessary.

Brand Panels




8 Hose Brand Panel
(T17835 Gxxx)




6 Hose Brand Panel
(T18785 Gxxx)

8 Hose Blanking Panel
(T18035 Gxxx)

PPU overlays (Only used with brand panels)





Lever Activation
(R19431 Gxxx)




Push-To-Start Activation
(R19431 Gxxx)

Blender Panels (W02872 xxx)

3+0



3+1



Advantage

Blanking Panels & Putdowns

Page 9 of 9

The B7C/B87 and the B79/B85 models can use the 8 Hose brand panels (T17835 Gxxx) instead of the wide frame blender panels.

If using the 8 hose brand panels on the B79/B85 models, there will only be 3 grades, so an 8 hose blanking panel will be needed.

B07

Two Sided, 4 Grades, 8 Hoses/

B06

Single Sided, 4 Grades, 4 Hoses,

B05

Two Sided

B65

Two Sided, Lever Activated, Single Level,
3 Grades, 6 Hoses

B7C

Two Sided, Push to Start, Single Level,
4 Grades/Blends, 4 Hoses

B87







Two Sided, Push to Start, Single Level,
4 Grades, 4 Hoses

B79

Two Sided

B85

Two Sided, Push to Start, Single Level,
1 Grade, 1 Hose



Narrow Putdown
(R19429 Gxxx)

Ultra-Narrow Putdown
(R19301 Gxxx)

Wide Putdown
(R19430 Gxxx)

Wide Blanking Panel
(T19302 Gxxx)

Wide Single Hose Blanking Panel
(W02950 xxx)