

## EC Declaration of Conformity

The Manufacturer declares that the products:

### **TLS SYSTEM FOR INVENTORY MEASUREMENT AND LEAK DETECTION OF FLAMMABLE LIQUID STORAGE TANKS & PIPING**

Equipment Group II (1)G [Ex ia] IIA

are in compliance with the following EC directive (including all applicable amendments):

#### **ATEX Directive 94/9/EC**

the following harmonised technical standards have been applied:

<b>EN 50014:1997+A1/A2:1999</b>	Electrical Apparatus for Explosive Gas Atmospheres General Requirements
<b>EN 50020:2002</b>	Electrical Apparatus for Explosive Gas Atmospheres Intrinsic Safety
<b>EN 60079-0:2006</b>	Electrical Apparatus for Explosive Gas Atmospheres General Requirements
<b>EN 60079-11:2007</b>	Explosive Atmospheres – Part 11: Equipment Protection by Intrinsic Safety “I”
<b>EN 60079-25:2004</b>	Electrical Apparatus for Explosive Gas Atmospheres – Part 25: I. S. Electrical Systems
<b>EN 60079-26:2004</b>	Construction, test and marking of group II, Category 1G Electrical Apparatus

and be produced in compliance with the model approved by the EC type- examination certificate:

#### **DEMKO 06 ATEX 137480X**

issued by the following notified body:


**UL International Demko A/S** P.O. Box 514 Lyskaer 8, DK-2730 Herlev, Denmark; No. 0539

and furthermore comply with the provisions of the following EC directive (including all applicable amendments):

#### **LVD Directive 2006/93/EC, EMC Directive 2004/108/EC**

the following harmonised technical standards have been applied:

<b>EN 61010-1:2001</b>	Safety Requirements for Electrical Equipment for Measurement, Control and Laboratory Use – Part 1 – General Requirements
<b>EN 55024:1998+A1:2001+A2:2003</b>	Information technology equipment. Immunity characteristics
<b>EN 55022:1998+A1:2000+A2:2003</b>	Information technology equipment. Radio disturbances characteristics
<b>EN 61000-3-2:2000</b>	Limits – Section 2: Limits for harmonic current emissions
<b>EN 61000-3-3:1995+A1:2001</b>	Limits – Section 3: Limits of voltage fluctuations and flicker

  
**VEEDER-ROOT Inc.**  
Quality Assurance Manager  
Harold Findley

**Signatory Location:** Altoona, PA USA; **Date:** May 8, 2009