



GILBARCO
VEEDER-ROOT



SPECIAL INFORMATION & DISPENSER ORDER FORM

Graphic Design

- Involves communicating specific ideas and experiences through creative visual and textual content.
- Uses a variety of specialized graphic programs and sometimes alternative mediums to achieve the desired visual effect.
- As a team, we create logos, brochures, pamphlets, vector-based illustrations, banners and more.

Frequently Asked Questions

Can you use a picture of a logo for production?

Unfortunately, due to the nature of our design and production process, we cannot. All custom logo or pump artwork should be provided as an Adobe Illustrator (.ai), Adobe Photoshop (.psd), Encapsulated PostScript (.eps), or a (.pdf) format file. Vector based images are preferred.

How long will it take my order to be processed?

The turnaround for orders is heavily dependent on the nature of what is involved in the design process (number of mocks needed, new logo creation, new color creation, etc.)

Do graphic designers provide price quotes?

No, graphic designers do not provide price quotes. However, your Customer Service Representative can provide you with a price quote as it pertains to your order.

Can I have my company graphic designer email the required files directly to a designer?

Yes, your designer can email the required image files to the applicable designer assigned to your order. This may be beneficial when complex artwork/logos are being reproduced and specific questions will need to be addressed.

Instructions

Fill out basic information

- Enter the name of the customer (i.e. Shell, Exxon, BP, etc). This is the name that will be used for the dispenser image.
- Select model number and whether this form is for a Full Mock (for full dispenser) or Part Mock (for certain parts).

Specify important details

- Using the graphic image on the left side of the request form, find what parts you need and enter them in the table on the right. Please include the base number, quantity, and any specific image regarding EACH part, (such as color, text, etc).
- When filling out the information pertaining to brand panels, please list the brands EXACTLY how they should appear.
Correct: Diesel / Regular / Plus / Premium Incorrect: Diesel / Default / Default / Default
- Specify bezel door color(s), side sheathing type(s), canopy style and important color information (3M, Gilbarco END, RAL or Pantone/PMS color numbers)
- Also list any additional information in the "comments/instructions" section at the bottom.

Review your form for accuracy.

- Make sure all information is legible and accurate.
- All pages following the request form are reference files placed for your convenience. Use them!
- Lastly, please sign and date the form and submit it to begin the design process. Request form will be returned if not signed and dated.

Legacy

Request Form

The ensuing pages are references for your convenience.

Image Name

Model #

Full Mock

Part Mock

Standard options listed below. Premium options are available but come with additional charges. Please contact your CSR for more information regarding our premium options. See page 4.

All custom logo or pump artwork should be provided as an Adobe Illustrator (.ai), Adobe Photoshop (.psd), Encapsulated PostScript (.eps), or a (.pdf) format file. Vector based images are preferred.

- 1. Legacy Dialface R60008 ___
- 2. Access Door R15185 G ___
- 3. Legacy Brand Panel T50003 G ___
- 4. Legacy Nozzle Boot Scuff Guard R19097 ___
- 5. Legacy Lower Door Assembly T19334 G ___

Not Shown:

- 6. PPP Keypad T17885 ___
Model Breakdown See page 5
Mount Options See page 6

Electronic Configurations See page 6
Performer Series See page 7


6



The PPP Keypad can be mounted either on the front bezel or the chassis. See page 4 for mounting options on various models.

Part Number	Qty.	Comments/Instructions
i.e. R15185 Gxxx	2	END 7000

Please specifically list part options: (i.e. call button, single vs dual ppu, full vs partial side sheathing decal, or if you would like TRIND/CSC)



Brand Panels (i.e. Regular, Unleaded, Supreme)

Unit 1

Unit 2

Unit 3

Orientation Left Center Right


Please note any additional comments, instructions, or PO numbers here:

i.e. Attached is the reference file for the image graphics. *brandimg_graphics.pdf*

Name: _____ Date: _____

Phone: _____ Email: _____

Dispenser color likeness is only for visual assistance



Bezel Assembly

Painted Black No Charge Option

Nozzle Putdown

Painted White No Charge Option
Painted Black No Charge Option

Nozzle Scuff Guard

Painted Black No Charge Option
Painted Standard Gray No Charge Option
Painted any other color Additional Charges Apply
Stainless Steel Not Available
Decaled No Charge Option

Lower Door

Painted Black No Charge Option
Painted Standard Gray No Charge Option
Painted any other color Additional Charges Apply
Painted any Two colors Additional Charges Apply
Stainless Steel Additional Charges Apply

Legacy Model Number Breakdown

Model Number _____ **X X X X X X**

Product Name (1st Digit) _____

J Legacy

Model (2nd Digit) _____

E Performer
H Electronic

Type (3rd Digit) _____

1 Conventional Pump
A* Conventional Dispenser
B* Master Dispenser
C* Satellite Dispenser
D* Master/Satellite Combo Dispenser

Hydraulic Configuration (4th Digit) _____

0 1 Product, 1 Hose, Standard Flow
1* 1 Product, 2 Hose, Standard Flow
2 2 Product, 2 Hose, Standard Flow
3* 1 Product, 1 Hose, High Flow
4* 1 Product, 2 Hose, High Flow
5* 2 Product, 2 Hose, High Flow
6 1 Product, 1 Hose, Ultra-hi Flow
7 1 Product, 2 Hose, Ultra-hi Flow
8* 2 Product, 2 Hose, Ultra-hi Flow

Other (5th Digit) _____

0 Standard Unit
1 New High Flow Hydraulics
A Unit with ATC (Canada only)

Other (6th Digit) _____

0 Standard Unit

Legacy

Electronic

Page 6 of 7

Electronic Pumps are used in Domestic and Export accounts

PPP Keypad Options

Bezel Mounted Options

Chassis Mounted Options

Pump or Dispenser	Pump or Dispenser	Pump or Dispenser	Pump or Dispenser	Pump or Dispenser	Pump or Dispenser	Pump or Dispenser	Pump or Dispenser
Island Oriented	Island Oriented	Island Oriented	Island Oriented	Lane Oriented	Lane Oriented	Lane Oriented	Lane Oriented
1 Prod, 2 Hose 2 Sides	2 Prod, 2 Hose 2 Sides	1 Prod, 1 Hose 2 Sides	1 Prod, 1 Hose 1 Side	1 or 2 Prod, 2 Hose, 2 Sides	1 Prod, 1 Hose 1 Side	2 Prod, 2 Hose 1 Side	1 Prod, 2 Hose 1 Side
JH1100 JHA100 JHA400	JH1200 JHA200 JH1500 JHA500	JH1000 JHA000 JH1300 JHA300	JH1000 JHA000 JH1300 JHA300	JH1100 JHA100 JH1200 JHA200 JH1500 JHA400 JHA500	JH1000 JHA000 JH1300 JHA300	JH1200 JHA200 JH1500 JHA500	JH1100 JHA100 JHA400

Master	Master	Master	Master	Master	Master/Satellite Combo	Satellite	Satellite	Satellite
High Flow	High Flow or Ultra-Hi	High Flow or Ultra-Hi	High Flow	High Flow	High Flow or Ultra-Hi	High Flow or Ultra-Hi	High Flow or Ultra-Hi	High Flow or Ultra-Hi
1 Prod, 2 Hose, 2 Sides	2 Prod, 2 Hose, 2 Sides	1 Prod, 1 Hose, 1 Side	1 Prod, 2 Hose, 1 Side	2 Prod, 2 Hose, 1 Side	High Flow or Ultra-Hi 1 Prod, 2 Hose, 2 Sides	2 Prod, 2 Hose, 2 Sides	1 Prod, 1 Hose, 1 Side	2 Prod, 2 Hose, 1 Side
JHB410	JHB510 JHB800	JHB310 JHB600	JHB410	JHB510 JHB8XX	JHD510 JHD800	JHC800 JHC810	JHC600 JHC610	JHC500 JHC510

Legacy


Performer

Page 7 of 7

Performer is **ONLY** used in Export accounts

Always Auto-On activation

Does not come with brand panels




1. Top Cover (Always Black)



2. Faceplates (Displays can be 0.6" or 1")

0.6" Display T50056 Gxx

1" Display T50049 Gxx



3. Top Mount

Painted White

No Charge Option

Painted Black

No Charge Option

Painted any other color

Additional Charges Apply



4. Lower Door T19334 Gxx

Painted White



No Charge Option

Painted Black

No Charge Option

Painted any other color

Additional Charges Apply



JE1000 JEA000
JE1300 JEA300

JE1100 JEA100
JE1200 JEA200
JE1500 JEA400
JEA500