

Quarles Special Card Handler

Version 001

part number: C35940

Gasboy International LLC
P. O. Box 309
Lansdale, PA 19446

Copyright 2003 by Gasboy International LLC
All rights reserved.
Printed in the United States of America.

The information in this document is confidential and proprietary. No further disclosure thereof shall be made without permission from Gasboy International LLC.

Gasboy International LLC believes that the information in this document is accurate and reliable. However, we assume no responsibility for its use, nor for any infringements of patents or other rights of third parties resulting from its use. We reserve the right to make changes at any time without notice.

| REVISION RECORD OF THIS DOCUMENT | | |
|---|-----------------------|-----------------------|
| Part No. | Date Published | Release Levels |
| C35940 | June 4, 2001 | Version 001 |
| C35940 | November 14, 2002 | Version 001 |
| C35940 | March 12, 2003 | Version 001 |

001 Quarles Special Card Handler

Overview

This special card handler will allow Quarles formatted club cards to be remotely authorized while other Gasboy® club cards are locally authorized.

The Quarles card layout is:

```
D3796DcccccaaaaaaaavvvvDYYMMlaapr
```

(where D's are Field separators)

When a Quarles card is recognized, the special handler will assign CREDIT as the tender with the sub tender of 61 to the transaction.

System Setup

Configure the Quarles club cards as instructed in the network manual.

Reader Program

The Driver ID will be entered as the standard PIN entry. The PIN prompt should be configured as Enter PIN/Driver ID in the Reader program. The NBS host will extract the Driver ID from the PIN field.

All non-Quarles club cards will be processed normally by the Site Controller according to the site configuration.

